



REVISED ENTIRE SHEET  
1-25-19



**FIRST FLOOR - PLUMBING PLAN (WASTE & VENT)**

SCALE: 1/4" = 1'-0"



**NOTES:**

- ① WC, 3" S, 2" V.
- ② L, SH, 2" S, 1 1/2" V.
- ③ K&DW, 2" S, 1 1/2" V. OR INSTALL 1 1/2" MINI STUDOR VENT.
- ④ 2" S, 1 1/2" V. TO DUEL CLOTHES WASHER BOX.
- ⑤ 1 1/2" VTR, MAINTAIN 10 FT. CLEARANCE TO FRESH AIR INTAKES.
- ⑥ 2" VTR, MAINTAIN 10 FT. CLEARANCE TO FRESH AIR INTAKES.
- ⑦ 2" S, DOWN FROM ABOVE.
- ⑧ CONTINUATION TO EXISTING CITY SANITARY WASTE SYSTEM REFER TO CIVIL UTILITY SITE PLAN.
- ⑨ 3" S, DOWN FROM ABOVE.
- ⑩ GAS TANKLESS WATER HEATER. ROUTE CONCENTRIC VENT UP THRU ROOF. MAINTAIN 10 FT. CLEARANCE TO FRESH AIR INTAKES.

NO.	DATE	DESCRIPTION	BY
1	2-25-19	OWNER REVISION	



7010 Easy Wind Dr. Ste 200  
Austin, TX 78752  
512.899.3100

www.designopa.com



**51 E. TEXAS AVE.**  
**HENDERSON, NEVADA**

2018 OPA Design Studio. All Rights Reserved.  
These design drawings are the sole property of the Architect, OPA Design Studio. They may not be reproduced in any form, by any method, for any purpose without previous written permission from the Architect.

JOB NO.:	201724-A
PHASE:	CD
DRAWN:	SO, LE
CHECKED:	SO
DATE:	10/22/2018

**P101**